

CSV EBID/GLN Subset Extract Layout		
Field	Max Length	Definition
Subscriber Identifier Type Code	1	A code paired with Subscriber Identifier Value, this code specifies the identifier type associated with the subscriber submitting this file. E for EBID, G for GLN.
Subscriber Identifier Value	30	A value paired with Subscriber Identifier Type Code, this value specifies the identifier value associated with the subscriber submitting this file. The EBID value for an EBID, the GLN value for a GLN.
Entity Identifier Type Value	13	The GLN or EBID Identifier value associated with the entity based on the subset type extract requested.
AGIIS Subset Proprietary Code	30	The Subscriber's Subset Proprietary Code. Up to 99 GLN Proprietary Codes can be associated with an entity.
Grower First Name	30	The first name of the grower of the entity represented in this record.
Grower Middle Name	30	The full middle name or middle initial of the grower of the entity represented in this record.
Grower Last Name	30	The last name of the grower of the entity represented in this record.
Grower Suffix	10	The name suffix of the Grower of the entity represented in this record. JR, SR, I, II, III, IV
Business Name \ Location Name	128	The Business Name (or Location Description for entities of classification "Location") of the entity represented in this record.
DBA Name	128	The doing business as name of the entity represented in this record.
Physical Address Line1	128	The physical address street address line 1 of the entity represented in this record. For entities of classification "Location" where the address is specified to be a physical address, this field contains the Location Description.
Physical Address Line2	128	The physical address street address line 2 of the entity represented in this record.
Physical City	30	The physical address full city name of the entity represented in this record.
Physical State/Province	2	The physical address US state or Canadian province abbreviation of the entity represented in this record.
Physical Zip/Postal Code	7	The physical address digit US zip or 7 character Canadian postal code of the entity represented in this record. Canadian postal codes are in the format "J3H 2Y3".
Physical Zip + 4	4	The physical address US Zip+4 Extension of the entity represented in this record.
Physical Country Code	3	The physical address country of the entity represented in this record.
Physical Address Override Indicator	1	The physical address override of the entity represented in this record. (Y-Physical Address Override, N-No Physical Address Override)
Physical County Name	25	The physical address county name of the entity represented in this record.
Physical FIPS Code	5	The physical address FIPS Code of the entity represented in this record.
Mailing Address Line1	128	The mailing address street address line 1 of the entity represented in this record.
Mailing Address Line2	128	The mailing address street address line 2 of the entity represented in this record.
Mailing City	30	The mailing address full city name of the entity represented in this record.
Mailing State/Province	2	The mailing address US state or Canadian province abbreviation of the entity represented in this record.

CSV EBID/GLN Subset Extract Layout		
Field	Max Length	Definition
Mailing Zip/Postal Code	7	The mailing address digit US zip or 7 character Canadian postal code of the entity represented in this record. Canadian postal codes are in the format "J3H 2Y3".
Mailing Zip + 4	4	The mailing address US Zip+4 Extension of the entity represented in this record.
Mailing Country Code	3	The mailing address country of the entity represented in this record.
Mailing Address Override Indicator	1	The mailing address override of the entity represented in this record. (Y-Mailing Address Override, N-No Mailing Address Override)
Mailing County Name	25	The mailing address county name of the entity represented in this record.
Mailing FIPS Code	5	The mailing address FIPS Code of the entity represented in this record.
Phone	10	The phone number of the entity represented in this record.
Status Code	1	The entity status of the entity represented in this record. (I-In Business, B-Bought Out By, R-Replaced By, O-Out of Business)
Active Indicator	1	The entity's record status of the entity represented in this record. (Y-Active, N-Inactive)
Duplicate Exempt Indicator	1	The "duplicate exemption override indicator" of the entity represented in this record. (Y-Duplicate Exempt, N-Not Duplicate Exempt)
Name Override Indicator	1	The "name override indicator" of the entity represented in this record. (Y-Name Override, N-No Name Override)
Replacement Entity Identifier Type Code	1	Paired with the replacement identifier value field in order to specify the entity which replaces the entity represented in this record.
Replacement Entity Identifier Value	30	Paired with the replacement identifier type code field in order to specify entity which replaces the entity represented in this record.
Replacement Entity Company Name\Grower Name	128	The Company Name\Locaton Description (or Grower Name if the Company Name is blank) of the entity which replaces the entity represented in this record.
Business Classification Indicator	1	A Y/N value indicating whether the entity represented in this record is classified as a Business.
Consumer Classification Indicator	1	A Y/N value indicating whether the entity represented in this record is classified as a Consumer
Location Classification Indicator	1	A Y/N value indicating whether the entity represented in this record is classified as a Location.
Latitude	20	The latitude associated with the physical location of the entity represented in this record. Latitude is a measurement of distance north or south of the equator. Format: dd.ffffD where dd = 0-2 digits, ffff = 0-10 digits and D = N or S. This format represents a decimal number of degrees. If the number of <u>degrees is a whole number, the decimal point is optional.</u>
Longitude	20	The longitude associated with the physical location of the entity represented in this record. Longitude is a measurement of distance east or west of the prime meridian (Greenwich, England). Format: ddd.ffffD where ddd = 0-3 digits, ffff = 0-10 digits and D = E or W. This format represents a decimal number of degrees. If the number of degrees is a whole number, the decimal point is optional.

CSV EBID/GLN Subset Extract Layout		
Field	Max Length	Definition
SPC Code	9	The Standard Point Location Code (SPLC) of the entity represented in this record. An SPLC is assigned to all stations registered by rail carriers. Between six to nine digits, this numeric code is used to specify the physical location of a station.
AWSA Number	15	The Agrichemical Warehousing Standards Association (AWSA) Number the entity represented in this record. The Agrichemical Warehousing Standards Association is managed by warehouse operators, manufacturers, distributors, and governments working together. Its mission is the continuous improvement of agrichemical warehouse performance in Canada through the establishment of standards to improve environmental protection, working conditions and business risk.
Last Verification Type	1	The last verification type recorded on the entity represented in this record. M (Member Services), S (Subscriber), I (Self).
Last Verification Level	1	The last verification level recorded on the entity represented in this record. 1 (Tier 1 - Web Verification only), 2 (Tier 2 - Phone/Email + Web Verification).
Last Verification Subscriber ID Type Code	1	If the last verification type recorded on the entity represented in this record was S (Subscriber), this value is paired with Subscriber Verification Identifier Value in order to identify the Subscriber who performed the verification. Note that for security purposes this value is only displayed to the subscriber who performed the verification.
Last Verification Subscriber ID Value	30	If the last verification type recorded on the entity represented in this record was S (Subscriber), this value is paired with Subscriber Verification Identifier Type in order to identify the Subscriber who performed the verification. Note that for security purposes this value is only displayed to the subscriber who performed the verification.
Last Verification Date	8	The date verification was last performed on the entity represented in this record. Format YYYYMMDD. Example: "19990711"
Last Verification Time	6	The time verification was last performed on the entity represented in this return file. Format HHMMSS. Example: "134500".
Entity Last Modification UserID	20	The AGIIS UserID of the person (or automated process) that made the most recent change to the entity represented in this record.
Entity Last Modification Date	8	The effective date of the most recent change to the entity represented in this record in text format YYYYMMDD. Example: "20150304"
Entity Last Modification Time	6	The effective date of the most recent change to the entity represented in this record in text format HHMMSS. Example: "134500"
GLN Reuse Exempt Indicator	1	A Y/N value indicating whether the entity represented in this return file record is classified as exempt from having its GLN removed for reuse on a new entity.
ResponsibleAg Certified Indicator	1	A Y/N value indicating whether the entity represented in this return file record has been designated as certified by ResponsibleAg. Note that this data element is only populated for ResponsibleAg and
Member Services Review Date	8	The date Member Services last reviewed the entity represented in this record. Format YYYYMMDD. Example: "20220624"
Member Services Review Time	6	The time Member Services last performed a review of the entity represented in this return file. Format HHMMSS. Example: "134500".

CSV EBID/GLN Subset Extract Layout		
Field	Max Length	Definition

Character Encoding

AGIIS supports UTF-8 character encoding (primarily for French Canadian names and addresses) and it is possible that you

File Naming Convention

Subscriber EBID + "-" + *Subset Extract Type* + "SubsetPropCodeExtract.csv"

Examples:

1100046503738-GLNSubsetPropCodeExtract.csv (GLN Subset Extract for Subscriber with EBID 1100046503738)

1100046503738-EBIDSubsetPropCodeExtract.csv (EBID Subset Extract for Subscriber with EBID 1100046503738)

File Zip

The output file is zipped and named the same as the extract file (with extension .zip)

File Downloading via FTP

Files will be posted to the subscriber's "data_out" folder on the AGIIS EBID FTP site (EBID.AGIIS.ORG).

EBID Subset Extracts are posted to /data_out, GLN Subset Extracts to /GLN/data_out

File Sequence

The data is sequenced by Entity Identifier Value.